AUTHOR INDEX

Allen, N.: see Traurig, N. H.
Aprison, M. H.: see McBride, W. J.
Axelrod, J.: see Coyle, J. T.
Beidler, L. M.: see Gross, G. W.
Bondy, S. C. and Madsen, C. J.: Axoplasmic transport of RNA, 535
Bornstein, M. B.: see Fry, J. M.
Burrows, M. and Holye, G.: Neural mechanisms underlying behavior in the locust *Schistocerca gregaria*. III. Topography of limb motorneurons in the metathoracic ganglion, 167
——see Hoyle, G.
Byers, M. R., Hendrickson, A. E., Fink, B. R., Kennedy, R. D., and Middaugh, M. E.: Effects of lidocaine on axonal morphology, microtubules, and rapid transport in rabbit vagus nerve *in vitro*, 125
Cheah, T. B. and Geffen, L. B.: Effects of axonal injury on norepinephrine tyrosine hydroxylase and monoamine oxidase levels in sympathetic ganglia, 443
Cho, Y. D., Martin, R. O., and Kim, S. U.: The effect of ammonium salts on carbon dioxide fixation by cultured and freshly excised central nervous tissue, 589
Clark, F. J.: see Hoffman, C. J.
Clendenon, N. R.: see Traurig, H. H.
Cohen, H. A. and McGovern, S. A.: Identity of "dumbbell" profiles in synaptosomal fractions from rat brain, 583
Coyle, J. T., Jacobowitz, D., Klein, D. and Axelrod, J.: Dopaminergic neurons in explants of substania nigra in culture, 461
Crain, S. M., and Pollack, E. D.: Restorative effects of cyclic amp on complex bioelectric activities of cultured fetal rodent CNS tissues after acute Ca^{++}-deprivation, 321
Dahlström, A.: see Karlström, L.
Dahlström, A. B.: see Saunders, N. R.
Daly, E.; see McBride, W. J.
Davson, H.: see Hollingsworth, J. G.
Dorsett, D. A., Willows, A. O. D., and Hoyle, G.: The neuronal basis of behavior in *Tritonia*. IV. The central origin of a fixed action pattern demonstrated in the isolated brain, 287
——: see Willows, A. O. D.
Dudley, A. W.: see Wannamaker, B. B.
Dziegielewska, K.: see Saunders, N. R.
Fernandez, H. L., and Samson, F. E.: Axoplasmic transport: Differential inhibition by cytochalasin-B, 201
Fifková, E.: see van Harreveld, A.
Fink, B. R.: see Byers, M. R.
Freeman, A. R.: Electrophysiological analysis of the actions of strychnine, bicuculline, and picrotoxin on the axonal membrane, 567
Fry, J. M., Lehrer, G. M., and Bornstein, M. B.: Experimental inhibition of myelination in spinal cord tissue cultures: Enzyme assays, 453
Geffen, L. B.: see Cheah, T. B.
Glantz, R. M.: Five classes of visual interneurons in the optic nerve of the hermit crab, 301
Gray, D. B. and Irwin, L. N.: Sialic acid content of the optic tectum of the developing chick embryo, 487
Gross, G. W. and Beidler, L. M.: Fast axonal transport in the C-fibers of the garfish olfactory nerve, 413
Häggendal, C. J.: see Saunders, N. R.
Hall, Z. W.: Multiple forms of acetylcholinesterase and their distribution in endplate and non-endplate regions of rat diaphragm muscle, 343
Henderson, A. E.: see Byers, M. R.
Hillman, D. E.: see Llinás, R.
Hoffman, C. J., Clark, F. J., and Ochs, S.: Intracortical impedance changes during spreading depression, 471
Hollingsworth, J. G., and Davson, H.: Transport of sulfate in the rabbit's brain, 389
Hoyle, G. and Burrows, M.: Neural mechanisms underlying behavior in the locust *Schistocerca gregaria*. I. Physiology of identified motorneurons in the metathoracic ganglion, 3
—— and ——: Neural mechanisms underlying behavior in the locust *Schistocerca gregaria*. II. Integrative activity in metathoracic neurons, 43
—— and Willows, A. O. D.: Neuronal basis of behavior in *Tritonia*. II. Relationship of muscular contraction to nerve impulse pattern, 239
——: see Burrows, M.
——: see Dorsett, D. A.
——: see Willows, A. O. D.
Irwin, L. N.: see Gray, D. B.
Jacobowitz, D.: see Coyle, J. T.
Karlström, L., and Dahlström, A.: The effect of different types of axonal trauma on the synthesis and transport of amine storage granules in rat sciatic nerves, 191
Kaplan, W. D.: see Trout, W. E.
Kelly, A.: see Wannamaker, B. B.
Kennedy, R. D.: see Byers, M. R.
Kim, S. U., and Wenger, E. L.: Morphological and enzyme histochemical studies of dissociated chick neural tube cultured in vitro, 513

——: see Cho, Y. D.
Klein, D.: see Coyle, J. T.
Kornguth, S. E.: see Wannamaker, B. B.
Lehrer, G. M.: see Fry, J. M.
Llinás, R., Hillman, D. E. and Precht, W.: Neuronal circuit reorganization in mammalian agranular cerebellar cortex, 69
Luco, J. V.: see Ramirez, B.
Madsen, C. J.: see Bondy, S. C.
Martin, R. O.: see Cho, Y. D.
McBride, W. J., Daly, E., and Aprison, M. H.: Interconversion of glysine and serine in a synaptosome fraction isolated from the spinal cord, medulla oblangata, telencephalon, and cerebellum of the rat, 557
McGovern, S. A.: see Cohen, H. A.
Middaugh, M. E.: see Byers, M. R.
Murphy, M. R.: see Uzman, B. G.
Murphy, R. A.: see Roisen, F. J.
Nelson, P. G.: see Peacock, J. H.
Ochs, S.: see Noffman, C. J.
——: see Sabri, M. I.
Peacock, J. H., and Nelson, P. G.: Chemosensitivity of mouse neuroblastoma cells *in vitro*, 363
Pollack, E. C.: see Crain, S. M.
Precht, W.: see Llinás, R.
Ramirez, B. and Luco, J. V.: Some physiological and biochemical features of striated muscles reinnervated by preganglionic sympathetic fibers, 525
Roisen, F. J. and Murphy, R. A.: Neurite development *in vitro*. II. The role of microfilaments and microtubules in dibutyryl adenosine 3′5′-cyclic monophosphate and nerve growth factor stimulated maturation, 397
Sabri, M. I. and Ochs, S.: Characterization of fast and slow transported proteins in dorsal root and sciatic nerve of cat, 145
Saito, H.: see Uzman, B. G.
Samson, F. E.: see Fernandez, H. L.
Saunders, N. R., Dziegielewska, K., Häggendal, C. J., and Dahlström, A. B.: Slow accumulation of choline acetyltransferase in crushed sciatic nerves of the rat, 95
Schrier, B. K.: Surface culture of fetal mammalian brain cells: Effect of subculture on morphology and choline acetyltransferase activity, 117
Scott, G.: see Wannamaker, B. B.
Swenberg, J. A.: see Traurig, H. H.
Traurig, H. H., Clendenon, N. R., Swenberg, J. A., and Allen, N.: Lysosomal acid hydrolases in neonatal rat brain, 105
Trout, W. E. and Kaplan, W. D.: Genetic manipulation of motor output in shaker mutants of *Drosophilia*, 495
Uzman, B. G., Murphy, M. R., and Saito, H.: Incorporation of [^{35}S] sulfate into chondroitin sulfates by organized cultures of murine peripheral sympathetic and central nervous tissue, 429
van Harreveld, A., and Fifková, E.: Mechanism involved in spreading depression, 375
Wannamaker, B. B., Kornguth, S. E., Scott, G., Dudley, A. W., and Kelly, A.: Isolation and ultrastructure of human synaptic complexes, 543
Wenger, E. L.: see Kim, S. U.
Willows, A. O. D., Dorsett, D. A., and Hoyle, G.: The neuronal basis of behavior in *Tritonia*. I. Functional organization of the central nervous system, 207
——, ——, and ——: The neuronal basis of behavior in *Tritonia*. III. Neuronal mechanism of a fixed action pattern, 255
——: see Dorsett, D. A.
——: see Hoyle, G.

SUBJECT INDEX

Acetylcholinesterase (AChE)
  chick neural tube, 513, 514, 520, 583
  fetal brain cells, 117
  synaptosomal preparation, 583
Acetylcholinesterase activity, 513
Acetylcholinesterase, end plates, 343
Acetylcholine (Ach), neuroblastema cells, 363
Adenosine 3′5′, cyclic monophosphate (cyclic AMP), and nerve growth, 397
Adrenergic neurons, storage granule transport, 191
Aldolase, 530
  in reinnervated striated muscle, 525
Alleles at the hyperkinetic locus, 504
Amine storage granules, transport in nerve, 191
Auditory interneurons, locust metathoracic neurons, 59
Avian visual system, RNA transport, 535
Axonal (axoplasmic), transport, rates in garfish C-fibers, 424
Axonal membrane, strychnine, bicuculline, picrotoxin, 567
Axoplasmic transport (axonal transport)
  vagus nerve, 125
  sciatic nerve, 145
  crayfish nerve cord, 201
  garfish olfactory C-fibers, 413
  RNA in optic system, 535
Basket and stellate cells in cerebellum, 73, 77
Bicuculline, axonal membrane, 567, 571
Brain growth, neonatal, 106
C-fibers, garfish olfactory nerve, 413
Ca^{2+} deprivation and cyclic AMP, 321
Canton-S flies, 497
CO_2 fixation, in CNS culture, 589
Cerebellar cortex, reorganization of neurons, 69
Cerebellum, 69, 429, 557
Cerebrum, 589, 591
Chick neural tube, morphological and biochemical differentiation, 513
Chick retina and spinal cord cultures, CO_2 fixation, 589
Choline acetyltransferase, fetal brain cells, 117
  rat sciatic nerve, 95
  chick neural tube, 513, 514, 520
Cholinergic fibers, 525
Cholinergic motor axons, 526
Chondroitin sulfate, in sympathetic and central tissue, 429
Choroid plexus, sulfate transport, 389
CO_2 fixation, in CNS preparations, 589
Colcemid dissociation of microtubules, 404
Colchicine, nerve fibers, 203
"Command" neurons in locust metathoracic ganglia, 64
Conversion of serine to glycine, 564
Corpus striatum, dopaminergic neurons, 461
Cortical impedance, spreading depression, 471
Crab optic nerve, visual interneurons, 301
Cricothyroid muscle, 528
Cultures, 514
Cyclic AMP, excitory effects Ca^{2+}, 321
Cytochalasin B and nerve, 201, 397, 203
Dendrites, 517
Denervation, 530
Dibutyryl cyclic AMP, neurons in culture, 324, 397
Dopaminergic neurons, substantia nigra explants, 461
H^3-dopamine uptake, 463
Drosophila, motorneurons and shaking behavior, 495
Dumbbell profiles, 583
"Dumbbell" shaped profiles, synaptosomes, 583
Electrically coupled neurons, *Tritonia*, 255
Espsp's, locust motorneurons, 12
Ether-a-gogo (Eag), 496
Experimental allergic encephalomyelitis (EAE) serum, spinal cord cultures, 453
Fast axonal transport, in C-fibers of garfish olfactory nerve, 413
Fast and slow axoplasmically transported proteins, 145
Fast axoplasmic transport, inhibition by cytochalasin B, 201
Fast locust motorneurons, 8, 175
Fast muscles, 526
Fatty acid synthesis, 589
Field potentials, cerebellar cortex, 81
Flexion movements, locust, 245
Flight rhythm, locust, 46
GABA, 567
β-Galactosidase, myelin, 454
Ganglion surface, *Tritonia*, functional localization, 233
Gangliosides, optic tectum, 487
Garfish olfactory nerve C-fibers, axoplasmic transport, 413
Genetic manipulation, *Drosophila*, motor output, 495
Gluconeogenesis, 589
Glucose-6-phosphate dehydrogenase, myelin, 453
β-glucuronidase, brain, 110
Glutamate, spreading depression, 375
Glutamate decarboxylase, fetal brain cells, 119
Glycine, 557, 562, 564
  conversion to serine in synaptosome fraction, 557
Glycolipid NANA, optic tectum, 487

Glycoproteins, myelination, 430
Golgi cell, cerebellum, 81
Giant neurons, *Tritonia*, 213, 232
H-response, neuroblastema cells, 367
Hamburger-Hamilton stage 14–18, 514
Heteropolysaccharides, optic tectum, 487
Human synaptic complexes, 543
Hydrolase, rat brain, 105
Hyperkinetic-1 (*Hk*^{1}), 496
Hyperkinetic-2 (*Hk*^{2}), 496
Inhibitory synaptic events, 567
Interactions between the *Hk* and *Sh*^{5} loci, 508
Interneurons, locust ganglion, 56
  optic nerve crab, 301
Ipsp's, locust motorneurons, 12
Isolated brain, neuron activity, 290
Isolated synaptic complexes, 546
Lidocaine, block of axonal transport, 125
Lysosomal acid hydrolases, rat brain, 105
Malic dehydrogenase, in reinnervated muscle, 525, 530
Membrane resistance (r_m), 574, 575
Membrane selectivity, 572
Mg^{2+} and neuronal activity, fetal brain, 321
Microfibrillar material, in neurons, 409
Microfilaments, in neurons, 397
Microtubules, in neurons, 125, 397
Mitochondria, 546
  in neurons, 583
Monoamine neurons, sciatic nerve, 191
Monoamine oxidase, in sympathetic ganglia after axonal injury, 443
Mossy fiber input, cerebellum, 77
Mucopolysaccharides, in neurons, 429
Muscle, *Tritonia*, 239
Myelination, spinal cord culture, 453
N-acetylneuraminic acid, in developing brain, 487
NADP-isocitrate dehydrogenase, in spinal cord culture, 454
Nerve growth factor, embryonic sensory ganglion, 397
Neurite elongation, nerve growth factor, 399
Neuroblastema cells, chemosensitivity, 363
Neuronal reorganization, agranular cerebellor cortex, 69
Noradrenaline (NA), axonally transport, 191
Norepinephrine, in sympathetic ganglia, 443
Optic lobe, 535
Optic nerve fiber-, response characteristics, 301
Optic system, chick RNA and axoplasmic transport, 535
Optic tectum, chick, 589, 591
  sialic acid content, 487
Patterned bursting, *Tritonia* isolated brain, 289
Phasic "off" units, crab optic nerve, 314
Phasic "on" units, crab optic nerve, 310
Phasic "on-off" units, crab optic nerve, 315
Phosphodiesterase inhibitors in culture, 334
Picrotoxin, axonal membrane, 567, 571
Preganglionic autonomic cholinergic fibers, 525
Preganglionic sympathetic fibers, 526
Presynaptic terminals, 550
Procion yellow, neuron filling, 168, 212
Polypeptides in nerve, axoplasmic transport, 145
Postsynaptic membranes, 583
Proteins in nerve, axoplasmic transport, 145
Pseudocholinersterase, 514
Purkinje cells, in mammalian agranular cortex, 69
Pyruvic kinase, 530
Rapid axonal transport in vagus nerve, lidocaine, 125
Receptive fields, optic nerve crab, 304
Rectification, 575
Reflex local withdrawal, *Tritonia*, 255
Reinnervation of striated muscle by sympathetic nerve fibers, 525
Resting and action potentials, 569
Retina, chick, 589, 591
Retinal preparation, CO_2 fixation, 589
RNA, chick optic system and axoplasmic transport, 535
Sceral preparation, spreading depression, 382
Schistocera gregaria (locust) neurons, 3, 43, 167
Serine, 557, 560
  conversion to glycine, synaptosome preparation, 557
Shaker-5 (*Sh*$_5$), 496
Shaker mutants, *Drosophila* motorneurons, 495
Shaking phenotype, 496
Shaking rate in relation to temperature, 502
Shaking rate in relation to ether dose, 501
Sialic acid, optic tectum, 487
Slow axoplasmic transport, inhibition by cytochalasin B, 201
Slow muscle, 526
Somata, positions and sizes in locust methathoracic ganglia, 167
Specific impedance, cerebral cortex, 476
Spinal cord, chick, 589, 594
  CO_2 fixation, 589
Spinal cord enzymes, mouse embryo, 453
Spreading depression
  scleral preparation, 375
  cerebral cortex, 471
  effect of K^+, 377
Sternothyroid muscle, 527
Stillate cells, cerebellum, 69
Striated muscle, reinnervated by sympathetic nerve, 525
Strychnine, axonal membrane, 567
Substantia nigra, dopaminergic cells in culture, 461
Subsynaptic webs, 550, 553
Sulfatase A, spinal cord culture, 453
Sulfate transport in brain, 389

Swimming, escape response
Tritonia, 257
neural responses, 287
Sympathetic fibers, 525
Sympathetic ganglia
sulfate incorporation, 429
norepinephrine, tyrosine hydroxylase, monoamine oxidase, 443
Sympathetic preganglionic fibers, 525
Sympathetic preganglionic fibers, reinnervation of striated muscle, 525
Synaptic complexes, human brain, 543
Synaptosome fraction
glycine–serine conversion, 557
"dumbbell" profiles, 583
Tetraethylammonium (TEA), 570
Tonic "off" units, crab optic nerve, 304
Tonic "on" units, crab optic nerve, 304
Trigger neurons, *Tritonia*, 262
Tritonia
neuronal organization, 207
behavior, 255
brain pattern, 287
Tyrosine hydrolyase, sympathetic ganglion, 443
Unit membrane, 583
Vagus nerve, rapid axonal transport, 125
Vesicular content, 551
Walking motorneurons, locust, 50
Withdrawal response, *Tritonia*, 243

JOURNAL OF NEUROBIOLOGY

An International Journal

Editor-in-Chief

SIDNEY OCHS
Department of Physiology
Indiana University Medical Center
Indianapolis, Indiana 46202, U.S.A

Associate Editors

SAMUEL H. BARONDES
Department of Psychiatry
University of California
La Jolla, California 92037

STANLEY M. CRAIN
Department of Physiology
Albert Einstein College of Medicine
Bronx, New York 10461

FLOYD BLOOM
Laboratory of Pharmacology
St. Elizabeth's Hospital
Washington, D.C. 20032

GRAHAM HOYLE
Department of Biology
College of Liberal Arts
University of Oregon
Eugene, Oregon 97403

FELIX STRUMWASSER
Division of Biology
California Institute of Technology
Pasadena, California 91109

Editorial Board

J. Axelrod, *Bethesda, Md.*
L. M. Beidler, *Tallahassee, Fla.*
M. V. L. Bennett, *New York, N. Y.*
T. H. Bullock, *La Jolla, Calif.*
J. Bureš, *Prague*
P. Buser, *Paris*
D. R. Curtis, *Canberra*
E. D. P. De Robertis, *Buenos Aires*
K. Frank, *Bethesda, Md.*
M. G. F. Fuortes, *Bethesda, Md.*
R. W. Gerard, *Corona Del Mar, Calif.*
R. Granit, *Stockholm*
L. Guth, *Bethesda, Md.*
S. Hagiwara, *Los Angeles, Calif.*
M. Jouvet, *Lyon*
K. Krnjević, *Montreal*
A. Lajtha, *New York, N. Y.*
J. L. McGaugh, *Irvine, Calif.*
H. McIlwain, *London*
J. W. Moore, *Durham, N. C.*
L. J. Mullins, *Baltimore, Md.*
W. D. Neff, *Bloomington, Ind.*
J. Olds, *Pasadena, Calif.*
O. Oscarsson, *Lund*
D. P. Purpura, *New York, N. Y.*
J. D. Robertson, *Durham, N. C.*
L. Tauc, *Paris*
A. van Harreveld, *Pasadena, Calif.*
C. A. G. Wiersma, *Pasadena, Calif.*
J. Z. Young, *London*

a Wiley-Interscience Publication
published by JOHN WILEY & SONS, INC.
Copyright © 1973 by John Wiley & Sons, Inc.

Journal of Neurobiology

Contents

Volume 4, Issue Nos. 1–6, 1973

Issue No. 1

Publisher's note 1

Announcements 2

G. Hoyle and M. Burrows: Neural mechanisms underlying behavior in the locust *Schistocerca gregaria.* I. Physiology of identified motorneurons in the metathoracic ganglion 3

G. Hoyle and M. Burrows: Neural mechanisms underlying behavior in the locust *Schistocerca gregaria.* II. Integrative activity in metathoracic neurons 43

R. Llinás, D. E. Hillman, and W. Precht: Neuronal circuit reorganization in mammalian agranular cerebellar cortex ... 69

Issue No. 2

N. R. Saunders, K. Dziegielewska, C. J. Häggendal, and A. B. Dahlström: Slow accumulation of choline acetyltransferase in crushed sciatic nerves of the rat 95

H. H. Traurig, N. R. Clendenon, J. A. Swenberg, and N. Allen: Lysosomal acid hydrolases in neonatal rat brain 105

B. K. Schrier: Surface culture of fetal mammalian brain cells: effect of subculture on morphology and choline acetyltransferase activity 117

M. R. Byers, A. E. Hendrickson, B. R. Fink, R. D. Kennedy, and M. E. Middaugh: Effects of lidocaine on axonal morphology, microtubules, and rapid transport in rabbit vagus nerve *in vitro* 125

M. I. Sabri and S. Ochs: Characterization of fast and slow transported proteins in dorsal root and sciatic nerve of cat 145

M. Burrows and G. Hoyle: Neural mechanisms underlying behavior in the locust *Schistocerca gregaria.* III. Topography of limb motorneurons in the metathoracic ganglion 167

Information for Authors 187

Issue No. 3

Announcements 189

Errata 190

L. Karlström and A. Dahlström: The effect of different types of axonal trauma on the synthesis and transport of amine storage granules in rat sciatic nerves 191

H. L. Fernandez and F. E. Samson: Axoplasmic transport: Differential inhibition by cytochalasin-B 201

A. O. D. Willows, D. A. Dorsett, and G. Hoyle: The neuronal basis of behavior in *Tritonia*. I. Functional organization of the central nervous system 207

G. Hoyle and A. O. D. Willows: Neuronal basis of behavior in *Tritonia*. II. Relationship of muscular contraction to nerve impulse pattern 239

A. O. D. Willows, D. A. Dorsett, and G. Hoyle: The neuronal basis of behavior in *Tritonia*. III. Neuronal mechanism of a fixed action pattern 255

D. A. Dorsett, A. O. D. Willows, and G. Hoyle: The neuronal basis of behavior in *Tritonia*. IV. The central origin of a fixed action pattern demonstrated in the isolated brain 287

Issue No. 4

R. M. Glantz: Five classes of visual interneurons in the optic nerve of the hermit crab 301

S. M. Crain and E. D. Pollack: Restorative effects of cyclic amp on complex bioelectric activities of cultured fetal rodent CNS tissues after acute Ca^{++}-deprivation 321

Z. W. Hall: Multiple forms of acetylchloinesterase and their distribution in endplate and non-endplate regions of rat diaphragm muscle 343

J. H. Peacock and P. G. Nelson: Chemosensitivity of mouse neuroblastoma cells *in vitro* 363

A. van Harreveld and E. Fifková: Mechanism involved in spreading depression 375

J. G. Hollingsworth and H. Davson: Transport of sulfate in the rabbit's brain 389

Issue No. 5

F. J. Roisen and R. A. Murphy: Neurite development *in vitro*: II. The role of microfilaments and microtubules in dibutyryl adenosine 3′,5′-cyclic monophosphate and nerve growth factor stimulated maturation 397

G. W. Gross and L. M. Beidler: Fast axonal transport in the C-fibers of the garfish olfactory nerve 413

B. G. Uzman, M. R. Murray, and H. Saito: Incorporation of [^{35}S] sulfate into chondroitin sulfates by organized cultures of murine peripheral sympathetic and central nervous tissues 429

T. B. Cheah and L. B. Geffen: Effects of axonal injury on norepinephrine tyrosine hydroxylase and monoamine oxidase levels in sympathetic ganglia 443

J. M. Fry, G. M. Lehrer, and M. B. Bornstein: Experimental inhibition of myelination in spinal cord tissue cultures: Enzyme assays 453

J. T. Coyle, D. Jacobowitz, D. Klein, and J. Axelrod: Dopaminergic neurons in explants of substantia nigra in culture 461

C. J. Hoffman, F. J. Clark, and S. Ochs: Intracortical impedance changes during spreading depression 471

Brief Communication

D. B. Gray and L. N. Irwin: Sialic acid content of the optic tectum of the developing chick embryo 487

Information for Authors 491

Issue No. 6

Announcement 493

W. E. Trout and W. D. Kaplan: Genetic manipulation of motor output in shaker mutants of *Drosophila* 495

S. U. Kim and E. L. Wenger: Morphological and enzyme histochemical studies of dissociated chick neural tube cultured in vitro 513

B. Ramirez and J. V. Luco: Some physiological and biochemical features of striated muscles reinnervated by preganglionic sympathetic fibers 525

S. C. Bondy and C. J. Madsen: Axoplasmic transport of RNA .. 535

B. B. Wannamaker, S. E. Kornguth, G. Scott, A. W. Dudley, and A. Kelly: Isolation and ultrastructure of human synaptic complexes 543

W. J. McBride, E. Daly, and M. H. Aprison: Interconversion of glysine and serine in a synaptosome fraction isolated from the spinal cord, medulla oblangata, telencephalon, and cerebellum of the rat 557

A. R. Freeman: Electrophysiological analysis of the actions of strychnine, bicuculline and picrotoxin on the axonal membrane 567

Brief Communications

H. A. Cohen and S. A. McGovern: Identity of "dumbbell" profiles in synaptosomal fractions from rat brain 583

Y. D. Cho, R. O. Martin, and S. U. Kim: The effect of ammonium salts on carbon dioxide fixation by cultured and freshly excised central nervous tissue 589

Author Index 595

Subject Index 597

Volume Title Page i

Volume Contents iii